Asbestos Blockplan Hammond Building

DO NOT PRINT THESE BLOCKPLANS AND ASSUME CHANGES NEVER OCCUR. UPDATES ARE CONSTANTLY BEING ADDED.

These blockplans DO NOT include the following asbestos containing materials:

Thermal insulations such as pipe, boiler, tank, or duct insulation; these are assumed to contain asbestos unless they are obviously fiberglass or foam rubber.


ALL resilient floorings are also assumed to contain asbestos (i.e. 12"x12" and 9"x9" Floor Tile, Linoleum, etc.).

ALL Soapstone Lab Bench Tops are also assumed to contain asbestos.

Many of these materials are above drop ceilings and are not readily visible. Specific locations of these materials can be obtained by calling Environmental Health and Safety at 5-6391 (3-1111 after 5 P.M.).



Asbestos Blockplan





Transite Asbestos Floor Panels Revised: 1/17/13

Call EHS (5-6391) BEFORE accessing above drop ceilings

NOTE: Asbestos Pipe Insulation, Floor Tile and other Information can be found on the EHS Website: www.ehs.psu.edu

HAMMOND BUILDING

GROUND FLOOR PLAN
UNIVERSITY PARK CAMPUS, UNIVERSITY PARK, PA

PENNSTATE



FACILITIES RESOURCES AND PLANNING

FAX: 814.865,1610

THE PENNSYLVANIA STATE UNIVERSITY BENEDICT HOUSE UNIVERSITY PARK, PA 16802


OFFICE: 814.865.1595

www.facilities.psu.edu



Asbestos Blockplan







Call EHS (5-6391) BEFORE accessing above drop ceilings

NOTE: Asbestos Pipe Insulation, Floor Tile and other Information can be found on the EHS Website: www.ehs.psu.edu

HAMMOND BUILDING

FIRST FLOOR PLAN UNIVERSITY PARK CAMPUS, UNIVERSITY PARK, PA





FACILITIES RESOURCES AND PLANNING THE PENNSYLVANIA STATE UNIVERSITY BENEDICT HOUSE UNIVERSITY PARK, PA 16802

OFFICE: 814,865,1595 FAX: 814.865,1610 www.facilities.psu.edu



