

Asbestos Blockplan Porter Hall

DO NOT PRINT THESE BLOCKPLANS AND ASSUME CHANGES NEVER OCCUR. UPDATES ARE CONSTANTLY BEING ADDED.

These blockplans DO NOT include the following asbestos containing materials:


Thermal insulations such as pipe, boiler, tank, or duct insulation; these are assumed to contain asbestos unless they are obviously fiberglass or foam rubber.

ALL resilient floorings are also assumed to contain asbestos (i.e. 12"x12" and 9"x9" Floor Tile, Linoleum, etc.).

ALL Soapstone Lab Bench Tops are also assumed to contain asbestos.

Many of these materials are above drop ceilings and are not readily visible. Specific locations of these materials can be obtained by calling Environmental Health and Safety at 5-6391 (3-1111 after 5 P.M.).

Asbestos Blockplan



NOTE: Asbestos Pipe Insulation, Floor Tile and other Information can be found on the EHS Website: www.ehs.psu.edu

Troweled Asbestos Ceilings Revised: 8/29/13

PORTER HALL

BASEMENT PLAN


UNIVERSITY PARK CAMPUS, UNIVERSITY PARK, PA

PENNSYLVANIA STATE UNIVERSITY



FACILITIES RESOURCES AND PLANNING
THE PENNSYLVANIA STATE UNIVERSITY
BENEDICT HOUSE
UNIVERSITY PARK, PA 16802

OFFICE: 814.865.1595 FAX: 814.865.1610 www.facilities.psu.edu



07/31/03

7/13/11

Basement block plans are for referential use only. Drawings are not to be used for architectural engineering purposes.

0230-000

1 OF 10

B